ACCELE

ELECTRONICS, INC.

ZICOM

PMH
Precise Matching Headrests

360optix

LITT WORKS

ACCELEVISION®
The Leader in Mobile Entertainment Systems

USA PRO® SECURITY

Accele Custom

BEÜLER®

QP HARDWARE

2012

PMH
Precise Matching Headrests

Presented By ACCELEVISION®

MATCH IT - WIRE IT - DOCK IT - CLOSE IT

NEW !
8.5” Model: AXHR8500D

3 Year Warranty !

Built In Side CD/DVD Slot

FEATURES

- 800 X 480 Resolution
- 400 NIT
- Built-in IR Audio Transmitters
- 2 Audio / Video Inputs
- Unique, Efficient OEM Pillow Design
- 2 Channel IR
- Baseball Stitch
- Made in an OEM Factory
- Adjustable Posts (4 to 8”)
- Available in 104 PMH Colors

AVAILABLE IN 104 COLORS

Dual Screen Flipdown Monitor with 2 Channel IR Transmitter

Dual 8.5” wide screen LCD
350 nits
Single, Dual or Tri-screen split capable
2-audio video inputs
2- additional video only inputs
2-channel IR wireless audio out
Low profile
Led dome light
Remote

AXFD2850
AXFD2850SD - With SD

8.5” Widescreen Flipdown Monitor With Built-In Multimedia Player

- 8.5” Widescreen 16:9
- Built-In Multi-media player
- 400 NIT
- 800 X 480 Resolution
- Built-In FM Modulator
- Built-In IR Audio
- Dome Light
- SD Card Reader
- USB Input
- 2 A/V Inputs
- iPod Cable Included

Available in Gray and Tan

AXFA85WG - Gray
AXFA85WG - Tan

8.5” Center Console Mount LCD With Built-In Multimedia Player

- 8.5” Color TFT LCD Screen
- IR Remote OSD
- 400 nit
- 1 A/V In, 1 A/V Out
- Built-In Multimedia DVD Player
- USB/SD Card Reader
- 360 Angel Swivel
- Built-In IR Transmitters

3 Year Warranty !

Solutions Particularly for Mecedes 2006 and Newer

Available in Black, Gray, and Tan

LCDMBZ85B - Black
LCDMBZ85G - Gray
LCDMBZ85T - Tan

11” Widescreen Flipdown Monitor
with Built-In Mutimedia Player

A L L - I N - O N E



Model: AXFA11W

FEATURES

- 11” Widescreen 16:9
- Built-In Multi-media player
- 400 NIT
- 800 X 480 Resolution
- Built-In FM Modulator
- Built-In IR Audio
- 3 Position Dome Light
- Black/Grey/Tan Skins Included
- SD Card Reader
- USB Input
- 2 A/V Inputs
- **iPod Cable Included**

3 Year Warranty !

DUAL DIGITAL TV TUNER
RECEIVES ATSC & ATSC-MH DIGITAL SIGNALS !

ATSC & ATSC-MH Mobile TV Tuner
IR Remote Control and Receiver
DC Power Cable
A/V Cable
Pole Antenna
USB 2.0 Input
Resolution : 1920 X 1080i (ATSC)
: 416 X 249 (ATSC-MH)

DTV200

You can finally watch TV while the vehicle is in motion !

Have Your Cake and Eat it Too !

Just ATSC Signal

ATSC & ATSC-MH Digital Signals

A C C E S S O R I E S

WIRELESS OR WIRED FM MODULATOR

- Easily Add Audio to Any Video System Through the Existing Car FM Stereo Antenna
- Direct Connect 2 Frequency PLL Drift-Free FM Modulator 88.9/88.5MHz

RFMWL4 - Wireless
RFM37 - Wired

MINI-SIZED SLOT-LOAD DVD/MP3/CD PLAYER

- 360 Degree mounting
- USB card reader
- Signal: NTSC / PAL
- 1 Inputs
- 2 Outputs
- Dimensions: 2”(H) x 7”(W) x 6 5/8”(D)

DVD5000

GAME KIT \ POWER INVERTERS

GAME110K125 - 125 Watt Game Kit
GAME110K400 - 400 Watt Game Kit

Inverters Only:
76125 - 125 Watt
76400N - 400 Watt
77750 - 750 Watt
771000 - 1000 Watt
771200 - 1200 Watt
772000 - 2000 Watt
775000 - 5000 watt

WIRELESS INFRARED STEREO HEADPHONE KIT

- Studio Quality Dual-Channel Headphones with Wide Angle Infrared Detection
- Controls on Headphones for: Volume, Power & Auto Muting Feature

CDIR2H - Dual Channel
CDIRHP - Single Channel
CDIRT - Transmitter

DIGITAL VIDEO NOISE FILTERS

Eliminates Noise on Video !
- Engine alternator Video Noise
- Stabilizes Vertical Sync
- Stabilizes Horizontal Sync

VF100

VIDEO FILTER / STABILIZER

Video Filter and Stabilizer
Video Amplifier
1 input , 10 output
12 VDC

Great for Video Displays, Vans, Buses, Etc

VF1000



ZiCOM

ALL-IN-ONE

* Changeable Color Skins ! (Included)

- 11" TFT LCD Monitor
- Built-in DVD Player
- NTSC/PAL
- DVD/VCD/SVCD/MP3/CD
- 800 x 480 Pixels
- Dome Lights
- IR Headphone Transmitter
- 2/V and 1/A Inputs
- On Screen Display (OSD)

ZFA11W3

FULL HD

* Full 1080i HD Resolution with HDMI Inputs !

- Pixels : 1920 X 1080
- Display Format : 16:9
- System : PAL/NTSC
- Video VGA Inputs
- **HDMI Input**
- Built-in IR Transmitter
- Built-in Dome Lamps
- Power Supply : DC12V 2.5 Amps

(Full HD Resolution)

ZFD23WHDMI

FLIPDOWN WIDESCREENS

- 8" TFT Active Matrix
- NTSC/PAL
- 1480 x 234 Pixels
- Contrast Ratio 300:1
- Dome Lights
- IR Headphone Transmitter
- 2/V and 1/A Inputs
- Remote Control
- On Screen Display (OSD)

ZFD8WC

- 14" TFT Active Matrix
- NTSC/PAL
- 1280 X 768 Pixels
- Two Video Inputs
- Dual Dome Lights
- Wireless Remote Control
- On Screen Display (OSD)

ZFD14W

- 15.4" TFT Active Matrix
- NTSC/PAL
- 1280 x 854 Pixels
- Dome Lights
- IR Headphone Transmitter
- 2/V and 1/A Inputs
- Remote Control
- On Screen Display (OSD)
- $13^{11/16}$"(H) x $13^{5/16}$"(W) x $1^{1/2}$"(D)

ZFD154WS

- 17" TFT Active Matrix
- NTSC/PAL
- 1280 x 854 Pixels
- Dome Lights
- IR Headphone Transmitter
- 2/V and 1/A Inputs
- Remote Control
- On Screen Display (OSD)
- $14^{7/8}$"(H) x $19^{1/2}$"(W) x $1^{7/8}$"(D)

ZFD17WT

- 19" TFT LCD Monitor
- NTSC/PAL
- 1440 x 900 Pixels
- 2 Video Inputs
- Dome Lights
- Built-in IR Transmitter
- On Screen Display (OSD)

(Availalble w/ VGA ZFD19WLVGA)

ZFD19WLN

ALL-IN-ONE

LED BackLight !

7” or 9” Pre-Fab, Dual Disc Headrest Monitors

- Display Size: 7” Widescreen 16:9
- Resolution: 1440 x 234 Pixels
- Built-in Multi-media Player
- High Resolution and Brightness
- Universal Adjustable Headrest Posts
- IR Headphone Transmitter
- FM Wireless Transmitter
- Last Memory Function
- A/V Output and Input
- Anti-Shock Built in
- Available in Black, Tan or Grey

USB

Wireless Game Included !

ZHD700-B ZHD700-T ZHD700-G

HEADREST WIDESCREENS

5.8” Headrest Widescreen Monitor

- 5.8 TFT Widescreen
- NTSC /PAL
- 1440 x 234 Pixels
- Remote Control
- 2 Video Inputs
- Mounting Brackets Included
- Pedestal Mount Included
- Brightness: 250 NIT
- 5”(H) x 7”(W) x 6 3/4”(D)

ZH58P3

7” Headrest Widescreen Monitor

- 7” TFT Widescreen
- NTSC/PAL
- 1440 x 234 Pixels
- 2 Channel IR
- Remote Control
- IR Headphone Transmitter
- Pedestal Mount Included
- Hi-Density LCD Panel
- Contoured Trim Bezel
- Brightness: 250 NIT
- 8”(H) x 6”(W) x 1 7/8”(D)

ZH70WLS

AUDIO & VIDEO ACCESSORIES

4 In / 4 Out Audio / Video Switcher

- 4 Audio / Video Input and Output
- LED Display (on Chassis)
- Remote Eye



- 7 1/4” (H) x 10 3/4” (W) x 1” (D)

ZAVS441

10.2” Sun Visor Monitor

- 10.2” TFT LCD Color
- High Resolution
- PAL / NTSC
- Wireless Remote Control
- Wide View Angle
- 4 Display Modes

Available in Black, Tan or Grey
for Passenger Side or Driver Side

ZSV102DRB ZSV102DRT ZSV102DRG

Video Amplifier

- Individual Fine Tune Signal Sharpness
- 4 or 8 Composite Video Outputs
- Single Composite Video Input

- 13/16” (H) x 6 9/16” (W) x 3 1/2” (D)

ZVA400-4 Out
ZVA800-8 Out

Infrared Wireless Stereo Headphones

- Touch On/Off Switch + Volume Control
- Extra Padded Ear & Headband Cushion
- Impedance: 32 Ohms +/- 4 Ohms
- Power Input Tolerance: 40mm Mylar Cone
- Automatic Mute (No Noise Circuit Design)
- Automatic Power Off if No Signal (Saves Battery Life)

ZHIR22TR - Transmitter Only

ZHIR20 - 1CH
ZHIR22 - 2CH

Accele Custom

LED BACKLIT RAW MODULES

LCD18L

- 1.8” TFT LCD Screen
- NTSC/PAL
- Mirror/Flip Image
- LED Backlight
- 280 x 220 pixels
- Brightness: 150 nit
- $1^{1/2}$”(H) x 2”(W) x 1/2”(D)

LCD25L

- 2.5” TFT LCD Screen
- NTSC/PAL
- Mirror/Flip Image
- LED Backlight
- 480 x 234 pixels
- Brightness: 200 nit
- 2”(H) x $2^{1/2}$”(W) x 7/16”(D)

LCD35L

- 3.5” Color TFT LCD Screen
- NTSC/PAL
- Mirror/Flip Image Switch
- LED Backlight
- 480 x 234 pixels
- Brightness: 200 nit
- $2^{3/8}$” (H) x $3^{1/4}$”(W) x 1/2”(D)

LCD5LVGA

- 5” TFT LCD Screen
- NTSC / PAL/ Computer
- 640 x 480 Pixels
- Brightness: 300 NIT
- LED Backlight
- Auto Power On, OSD
- $3^{1/2}$”(H) x $4^{5/8}$”(W) x 7/8”(D)

LCD7WLVGA

- 7” TFT LCD Screen
- NTSC / Computer
- 800 x 480 Pixels
- Brightness: 300 NIT
- LED Backlight
- $4^{1/16}$”(H) x $6^{7/16}$”(W) x 9/16”(D)

LCD8L

- 8” Color TFT LCD Screen
- NTSC/PAL
- Mirror/Flip Image Switch
- LED Backlight
- 800 x 600 pixels
- $5^{1/2}$” (H) x $7^{3/16}$”(W) x 1/2”(D)

LCD35VGAN

- 3.5” Color TFT LCD Screen
- NTSC/PAL
- Mirror/Flip Image Switch
- 400 x 300 pixels
- Brightness: 200 nit
- $2^{3/8}$” (H) x $3^{1/4}$”(W) x 1/2”(D)

LCD5PAL

- 5” TFT LCD Screen
- NTSC/PAL/Auto Switching
- 4 Mounting Posts on Back
- 960 x 234 pixels
- Brightness: 300 nit
- $3^{11/16}$”(H) x 5”(W) x $1^{1/8}$”(D)

LCD64BN

- 6.4” TFT LCD Screen
- NTSC/PAL/Auto Switching
- CCFT Backlight
- 960 x 234 pixels
- Brightness: 300 nit
- $4^{3/4}$”(H) x $6^{1/8}$”(W) x 1”(D)

LCD7WVGA

- 7” TFT LCD Widescreen
- NTSC/PAL/VGA
- 2 Video Inputs
- 800 x 400 pixels
- Brightness: 300 nit
- $4^{1/4}$”(H) x $6^{1/2}$”(W) x 1”(D)

LCD7XLE

- 7” TFT LCD Widescreen
- NTSC/PAL/Auto Switching
- 2 Video Inputs or S-Video Input
- 1440 x 234 pixels
- Brightness: 300 nit
- $3^{15/16}$”(H) x $6^{1/2}$”(W) x 5/8”(D)

LCD8WVGA

- 8” TFT LCD Screen
- NTSC/PAL/VGA
- 2 Video Inputs
- 640 x 480 pixels
- Brightness: 220 nit
- $4^{13/16}$”(H) x $7^{3/8}$”(W) x 1”(D)

LCD8LVGA

- 8” TFT LCD Screen
- NTSC / PAL / Computer
- 800 x 600 Pixels
- Brightness: 200 NIT
- LED Backlight
- $5^{9/16}$”(H) x $7^{3/16}$”(W) x 5/8”(D)

LCD102WVGA

- 10.2” TFT LCD Screen
- NTSC / PAL / Computer
- 800 x 480 Pixels
- Brightness: 300 NIT
- LED Backlight
- $5^{3/4}$”(H) x $9^{1/4}$”(W) x 5/8”(D)

LCD154T

- 15.4” TFT LCD Widescreen
- NTSC/PAL/VGA/S-Video
- Remote Control
- 1280 x 800 pixels
- Brightness: 220 nit
- $9^{5/8}$”(H) x $13^{5/16}$”(W) x 5/8”(D)

LCD17WLX

- 17” TFT LCD Screen
- NTSC / PAL / Computer / S-Video/ DVI
- 1440 x 900 Pixels
- Brightness: 250 NIT
- LED Backlight
- 10”(H) x $15^{2/3}$”(W) x 7/8”(D)

LCD19WX

- 19” TFT LCD Widescreen
- NTSC/PAL/VGA
- 2 Video Inputs
- 1440 x 900 pixels
- Brightness: 300 nit

LCD20HD

- 20.1” TFT LCD Screen
- NTSC / PAL / Computer / DVI
- 1600 x 1200 Pixels
- Brightness: 250 NIT
- $13^{1/8}$”(H) x $17^{1/8}$”(W) x 7/8”(D)

Accele Custom

LCDP7NB-B
LCDP7NB-W

- 7" TFT LCD Widescreen
- NTSC/PAL
- 2 Video Inputs
- 1440 x 234 pixels
- Brightness: 300 nit
- No Buttons
- Auto Video On
- $5^{5/6}$"(H) x $7^{1/16}$"(W) x $1^{1/8}$"(D)

LCDP700VGA
LCDP700VGATS - Touchscreen

- 7" TFT LCD Widescreen
- NTSC/PAL
- 2 Video Inputs
- 1440 x 234 pixels
- Brightness: 300 nit
- Auto Video On
- $5^{5/6}$"(H) x $7^{1/16}$"(W) x $1^{1/8}$"(D)

LCDP8L

- 8.4" TFT LCD
- NTSC/PAL/VGA
- 2 Video Inputs
- 800 x 600 pixels
- Brightness: 300 nit
- $5^{5/6}$"(H) x $7^{1/16}$"(W) x $1^{1/8}$"(D)

LCDM7WP

- 7" TFT LCD Widescreen
- NTSC/PAL
- 2 Video Inputs
- 1440 x 234 pixels
- **WaterProof**
- $5^{5/6}$"(H) x $7^{1/16}$"(W) x $1^{1/8}$"(D)

LCDP104L

- 10.4" TFT LCD Screen
- (2) 1/2 Watt Speakers
- 800 x 600 Pixels
- Brightness: 230 nit
- NTSC/PAL/VGA/S-Video/Audio
- 10"(H) x $7^{15/16}$"(W) x $1^{1/8}$"(D)

HOUSED MONITORS

LCDM84VGA

- 8.4" TFT LCD Color Monitor
- IR Remote OSD
- 2 Video Inputs / 1 Computer Input
- 800 X 600 Pixels
- 325 nit
- $6^{7/8}$" (H) X $8^{3/4}$" (W) X $1^{1/4}$" (D)
- V. Area: $5^{1/8}$" (H) x 7" (W)

LCDM102W

- 10.2" Widescreen TFT LCD Screen
- NTSC/PAL
- 3 Input Signals
- 800 X 480 Pixels
- Brightness: 300 nit
- $6^{3/4}$" (H) X $10^{3/8}$" (W) X $1^{1/16}$" (D)

LCDM104SVGA

- 10.4" LCD Screen Monitor
- IR Remote with OSD
- 2 Video Inputs
- 800 X 600 Pixels
- Brightness: 300 nit
- 8" (H) X $10^{3/4}$" (W) X $1^{3/8}$" (D)

LCDM12WVGA

- 12" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- IR Remote Control
- 1440 X 900 Pixels
- Brightness: 300 nit

LCDM15HS

- 15" TFT LCD Screen
- IR Remote Control
- 1024 X 768 Pixels
- Brightness: 300 nit
- $10^{3/8}$" (H) X 14" (W) X $1^{1/8}$" (D)
- This model does not include brackets. Brackets included is Model: LCDM15HNBS

"M" SERIES HOUSED MONITORS

LCDM154VGA

- 15.4" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- 3 Input Signals
- 1280 X 800 Pixels
- Brightness: 220 nit
- $9^{7/16}$" (H) X $13^{3/4}$" (W) X 7/8" (D)

LCDM17WVGA

- 17" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- IR Remote Control
- 1440 X 900 Pixels
- Brightness: 300 nit

LCDMC19WX

- 19" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- IR Remote Control
- 1440 X 900 Pixels
- Brightness: 300 nit
- $11^{1/8}$" (H) X 17" (W) X $1^{1/8}$" (D)

LCDM20HD
LCDM20

- 20" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- IR Remote Control
- **(HD) 1600 X 1200 Pixels**
- Brightness: 300 nit
- $14^{1/2}$" (H) X $18^{7/8}$" (W) X $1^{3/4}$" (D)

LCDMC22WX

- 22" TFT LCD Screen
- NTSC/PAL/VGA/S-Video
- IR Remote Control
- **(HD) 1600 X 1200 Pixels**
- Brightness: 300 nit
- $14^{1/2}$" (H) X $18^{7/8}$" (W) X $1^{3/4}$" (D)

360 optix

CAMERAS

Customize your own Camera Monitoring System
Choose a Camera and a Monitor to create a Kit that works for you.

Step 1 : Choose a Camera

BULLET CAMERAS

WPLC296R (Reverse)

- Color
- Lense 2.96
- Image Sensor 380 TV lines
- Waterproof
- Snap in Flush Mount Ring
- Goes to B/W when Low Light

WPLC36

- Color
- Lense 3.6mm
- 380 TV Lines
- WaterProof
- Size 7/8 X 3”
- Infra-red light Sensitive

WPLC36HR

- Color
- Lense 3.6mm
- Lines 560
- WaterProof
- Size 21 X 73
- Infra-red light Sensitive

For IR Light Sensitive **WPLC36HRIR**

RVC1200IRN (Standard) RVC1200IR (Reverse)

- Flush Mount Camera
- Mirror Image
- 120° View
- Lense 2.96mm
- Waterproof
- IR Senders
- Hole Size $1^{1/8}$” X 2” Deep
- Image Sensor 380 TV Lines
- Goes to B/W when Low Light

RVC400R

- Color
- Lense 2.96mm
- 120°View
- Mirror Image
- 380 TV Lines
- Waterpoof
- $3^{3/8}$” X 1/6”

RVC100

- Black & White
- 3.5mm
- Lines 270
- Waterproof
- Size 64 X 56 X 43

SURFACE MOUNT

RVC300IR

- IR Flush Mount Camera
- Color Image
- Mirror Image
- 120° View
- Waterproof
- IR Illumination

RVC1000

- Mini Super Wide Viewing
- Color
- 150° Viewing
- 380 TV Lines
- WaterProof
- 0.5 Lux
- Standard or Mirror Image
- 5 - 15V

RVC910

- Stick Mount Super Wide Viewing
- Angle Mirror Image
- 160º Viewing
- 380 TV Lines
- WaterProof
- 0.5 Lux

RVC1100

- Stick Mount Super Wide Viewing
- Angle Mirror Image
- 160° View
- Lenes 2.96mm
- 380 TV Lines
- Waterproof
- $1^{1/8}$” X $1^{1/2}$” x $1^{3/8}$”
- Metal Housing

RVCLR

- Flexible Rubber Housed Camera
- Lens Size 2.8mm
- Water Proof
- 120º View
- 0.5 Lux at F2.0
- 400 TV Lines
- 70mm (W) X 40mm (D) X 30mm (H)

SVC950

- Side Mount or Under Bumper Camera
- Standard Wide Viewing
- 120° View
- 380 TV Lines
- Waterproof
- $1^{1/2}$” X $1^{1/2}$” X $2^{1/4}$”
- Mirror Image

RVC1300 - 165º
RVC1300N - 165º Non-Mirror
RVC1307 - 70º
RVC1307N - 70º Non-Mirror

World’s Smallest Waterproof Camera with surface & flush mount adaptor!

- 165° View
- 0.5 Lux
- 5 0 13 VDC @ 80ma
- 380 TV Lines
- Size - 12 X 18mm
- Flush Mount Hole - 18mm
- All Electronics in camera

Mini Camera with Surface Mount Adapter

Mini Camera with Surface Flush Adapter

Camera can be converted to Flush mount or Screw mount

RVC1150
RVC1150T - Top
RVC1150L - Left
RVC1150R - Right

Left Driver Side View

Right Passenger Side View

Top Looking Down View

Lower Bumper Rear View

OEM Look !
Flush Mounting Cameras

- TV Lines : 420
- Viewing Angle : 170º
- IP67 Waterproof
- Sensitivity : 0.2 lux
- Current : 300mA
- Voltage : 12VDC
- Operating Temp : -20ºC ~ 60ºC

Dual Angle View Camera System
Easily Switch from Wideview to Narror View

RVC22

- Dual Adjustable Cameras on Single Mount
- Wide Viewing Angle (2.96mm lens)
- Narrow Viewing Angle (3.8mm lens)
- Low 0.4 Lux 480 TVL lines
- Size 1" x 2.75" x 1"
- Easy Mounting

Narrow View

Wide View

RVC1400IR

Mini 360 Degree Waterproof IR Camera

Aluminum Housing with stainless steel brackets which allows the IR camera to be mounted 360 degree. Great for inside/outside vehicle monitoring.

- Sensor : Color 1/3" DSC
- Min Illumination : 0 Lux with IR / F1.7
- Auto IR LED Photo sensor
- Sensitivity : 0.2 Lux
- Operation temp : -40o C to 85o C
- Viewing Angle : 150o (NSTC)
- Size : 26mm (diameter) X 25mm (L) - 1" X 1"
- Voltage : DC 10.5V - 13V
- 60mA /80mA - 120mA (with LED)

Side CCD Cameras with LED Marker Lights

SVC200K

LED side marker lights with built in side CCD cameras can work with the auto 3 video switcher to auto switch cameras from right, left to back automatically as you turn on your signals or when you are backing up.

All In One !
Camera and Side Marker lights

Auto Switcher
SVC200SW

LICENSE PLATE CAMERAS

RVC800IRC - Chrome
RVC800IRB - Black

- Metal License Plate CCD
- Lens Size 2.8mm
- Waterproof
- 120° View
- 0.5 Lux at F2.0
- Image Sensor 420 TV Lines
- Color Image W/ Auto White Balance

RVC800LPNC - Chrome
RVC800LPNB - Black



- Metal License Plate CCD
- Lens Size 2.8mm
- Waterproof
- 120° View
- 0.5 Lux at F2.0
- Image Sensor 420 TV Lines
- Color Image W/ Auto White Balance

RVC50

- License Plate Camera
- 120° View
- Waterproof
- Reverse Image

RVCLPMB - Black
RVCLPM - Chrome

- License Plate Camera
- 120° View
- Waterproof
- Reverse Image

T-SERIES LICENSE PLATE

TLP100IRB - Black
TLP100IRC - Chrome

- Metal License Plate CCD
- Lens Size 2.8mm
- Waterproof
- 120° View
- 0.5 Lux at F2.0
- Image Sensor 420 TV Lines
- Color Image W/ Auto White Balance

TLP100MIRB - Black
TLP100MIRC - Chrome

- License Plate Camera
- 120° View
- Waterproof
- Reverse Image

360 optix

Step 2 : Choose a Monitor

MONITORS

RVM430
RVM430BT - BT
RVM430BTG - BT w/ Glass Mount

- 4.3" Widescreen
- Slim Rear View Monitor
- 2 Video Input Switcher
- On Mirror Controls

RVM102N

Side View

- 10.2: Ultra Wide LCD Screen
- 2 Video Input Switcher
- Easy Mounting
- Splt Screen Video

RVM103

- 10.2: Ultra Wide LCD Screen
- Clip On Rearview Mirror
- Easy Mounting
- Dual Video Display Monitor
- 4 Video Input Switcher Included

LCDP35D

- 3.5" LCD Display Standalone
- NTSC/PAL
- Display 16:9
- Resolution : 1440 X 234

LCDP35LSN

Side View

- High Def 3.5" LCD Monitor
- 360 Degree Rotatable Design
- Easy to Assemble
- Double multifunctional video input

LCDP43LW

- 4.3" LCD Display Standalone
- NTSC/PAL
- Display 16:9
- Resolution : 1440 X 234

COMPLETE CAMERA KITS / DVRS / QUAD SPLITTERS

LCDRV700K

Truck/Van/RV 3 Camera System

Auto Switching Dual Side and Back Camera System with 7" LCD Monitor.

Kit includes :
- 2 (30 ft) and 1 (60 ft) Waterproof cables
- All CCD Cameras have built in IR Illuminators and microphones.

LCDRV700CCDR (Rear Camera)

LCDRV700 (7" LCD)

LCDRV700CCDS (Side Cameras)

LCDRV700CBL15 (15 FT. Cable)
LCDRV700CBL30 (30 FT. Cable)
LCDRV700CBL60 (60 FT. Cable)

DVR400CF

4 Channel CF Card DVR

4 Channel VGA Resolution with motion sensor recording
Time stamp, Alarm In / Alarm out, Lockable CF Card,
Storage size is only limited to your CF card capcity (No Limit)
No more harddrive to fail !

Dimension : (D) 6 3/4 X (W) 6 3/4 X (H) 1 1/2
- Motion Sensor Recording
- 4 Channel VGA
- Lockable compact flash slot
- GPS Logger Option (location, speed, etc.)

GPS Plug-In Option

Front Opened

LCDRV560WL

Wireless Camera And Monitor Kit

- Wireless 5.6" LCD Camera
- IR Illuminators
- Microphone Built In
- Mounting Brackets Included

DVR100SD

Mini DVR



- Motion Sensing DVR
- Records Video to SD Card
- Alarm In/Out
- Records only when in motion

LCDRV700CCDWS

Wireless Camera Kit

- Single or Auto Switcher
- 4 Channel Wireless Camera Kit
- IR Illuminators
- Microphone Built In
- Compatible with RV Monitors LCDRV700

LCDQUAD4SW

QUAD Splitter / Switcher

View up to 4 images simultaneously on 1-screen!

- 4-Input
- 1-Output
- Remote Included

ACCELE ELECTRONICS, INC. 800-788-1212 (562) 809-5090 Fax (562) 809-1248 WWW.iATFT.COM

LITT WORKS

LED STROBE LIGHTS

COMPACT LED STROBE LIGHT

- Compact Size
- Easy Mount
- Programmable Strobe Pattern
- Super Bright LED

A Great, Energy Efficient Strobe Alert Solution

FL3A - AMBER
FL3B - BLUE
FL3R - RED
FL3W - WHITE

TRUE STROBE LIGHTS

Commercial grade high power stobes that can be installed in headlight, parking lights & grills to catch maximum attention.

Available in 4 or 6 Bulbs

FS4 - 4 Bulb
FS6 - 6 Bulb

LED LIGHTS

LED LIGHT STRIPS AVAILABLE IN 9" OR 15"

SMLED15G - 15" Green
SMLED15R - 15" Red

SMLED9G - 9" Green
SMLED9R - 9" Red
SMLED9W - 9" White

LL1 - Four white LED light
12 - 24 VDC

LL3 - Four White LED light is 100% waterproof 12 - 24 VDC
(Shown with black waterproof rubber gasket)

LL4 - 4 Watt LED waterproof flood lights

DOME/MAP LIGHTS

DL1 - Custom dome lights with on/off switch

DL2 - 3-position dome light switch on/off

LL2 - Incandescent light bulb with on/off push control (on knotched part of clear lens)
12 VDC

SLM100 - Scrolling LED Message Center

- Easy installation, easy-to-use
- Program your own text fast & simple
- Easy-to-use, remote control with smart
- Powered from 12V/24V lighter outlet w/ 12 ft.cord (AC Adaptor Also available, part #SLM-PS2)

OHL1 - Single over head map light (swivels +/- 30 degrees)

OHL2 - Dual over head map light (swivels +/- 30 degrees)

OHL200 - Oval dual over head map light (swivels +/- 30 degrees)

SOLAR LIGHTING SYSTEM

SPK10 - Solor lighting kit
10 Watt Solar Panels (Tempered Glass Encapsulated)
Mono Crystaline Silicon 25 Year life Panels
12 vdc power system
9 Amp Hour Battery (sealed maintenance-free lead-acid battery)
Output: 2 x 12V outlets

SPK20 - Solor lighting kit
20 Watt Solar Panels
Mono Crystaline Silicon 25 Year life Panels
12 vdc power system
12 Amp Hour Battery (sealed maintenance-free lead-acid battery)
Output: 2 x 12V outlets

KEYLESS ENTRY

WIRELESS WATERPROOF KEYLESS ENTRY KEYPAD

- Stick onto Car Door
- Lock/Unlock Doors
- Open Trunk
- AUX Output. Programmable Momentary or Toggle On/Off
- 5 Button Illuminated Keypad
- Perfect for Custom Keyless Entry Access without the need of a Key or Remote
- Looks like Ford OEM Keypad

KEYLESS FREEDOM... LEAVE IT ALL BEHIND...

RS505

REMOTE STARTER / ALARM COMBOS

VEHICLE SECURITY WITH CAR START SYSTEM

- Multi-Tone Siren
- Starter Disable Output
- Personal Coded Override Switch
- Dual-Stage Electronic Impact Sensor
- Starter Interrupt Output
- Remote Door Lock/Unlock
- Parking Light Flasher
- Courtesy Light Control
- Turbo Timer
- Cold Start Timer
- Smart Network Port
- Gas or Diesel Compatibility
- Selectable Engine Run Time
- Two Long-Range Remote Controls (Code Hopping Technology)
- Remote Engine Starter

AS635P5

UPGRADE EITHER SYSTEM WITH PLUG-IN 2-WAY RECEIVE AND REMOTE.

INSTANTLY GAIN UP TO 3500 FT. WITH 2-WAY AM FREQUENCY REMOTE.

ASUAMK4

FULL FEATURED, CAR STARTER SYSTEM WITH KEYLESS ENTRY

- Two 5-Button Code Hopping Remote Controls
- Two-Car Operation Remote Controls
- True RPM Sensing for Real Time Cranking
- Remote Controlled Courtesy Lighting
- 2-Stage Passenger Unlock Output
- RPM Learning Indication
- Two Auxiliary Channels
- User Selectable Auto Lock
- Stop and Go Feature
- Flashing Parking Lights
- Factory Security Disarm Output
- Remote Door Locking/Unlocking
- Gas or Diesel Mode with Glow Plug Input
- Active Output for Factory (Passlock/Transponder) Bypass
- Cold Start Timer (Programmable Every 1 or 2 Hrs)
- Programmable Engine Run TIme (15 or 25 Min)

RS623RN5

SEAT HEATERS / BACK UP SENSORS

SEAT HEATERS

- Single Lumbar or Seat Bottom
- Heating Element & Illuminated Switch
- Can be Installed in Less than 15 minutes
- Quality Units
- No Competition
- Big Profits

SH200

Dual Pad System with
High/Low and On/Off Switch.

SH2CF

Trimmable **Carbon Fiber**
Heating Element.
2 Pad System with
High/Low Temperature Control.

4 SENSOR BACK-UP SYSTEM

- Flat, Flush-Mounting Sensors
- Unit Features 4 Sensor for Full Coverage
- Plug-in Piezo for Audio Indication
- Plug-in Color LED Visual Display
- Will work in Plastic and Metal Bumpers
- Unit Turns On & Off When You Put the Car in Reverse

Piezo Off / Low / High

Dash / Console mount display

BU500

New Ceiling / Headliner mount display

BU550

New 8 SENSOR FRONT AND BACK-UP SYSTEM ALSO AVAILABLE (BU 500-8)

ACCESSORIES

RS610

- Mechanical Hood Lock
- 5 Foot Length (RS610)
- 7 Foot Length (RS611)

RS612

- Electronic Hood Lock
- Rugged Steel Housing
- 50" Steel Pull Cable

7725MS

- Dual Zone Radar Sensor

7037N or 7037J

- Door Lock Actuators
- 2 Wire (7037N or 7037J)
- 5 Wire (7041N)

CLT400

- Code Learning Transmitters
- 4-Button, 2-Channel
- 350-450 MHz

CLT4200

- Code Learning Transmitters
- 2-Button, Mini Transmitters
- Incorporates Ignition Key

RS639

- 4 Watt, 3 Channel Pager
- Works up to Three Cars
- 3 Zones for Each Car

5912K

- Door Pop Kit
- 5911B-Solenoid Unlatcher
- Spring Door Opener

0018P (CR2025) / CR2032

- Lithium 3V Battery
- (i.e. Auto Page, Autovox alarms)
- DEI alarms

7038PM

- 2 Stage Piezo Shock Sensor
- Internal Adjustment LED's
- Molex harness Design

201DR

- Plug and Play Relay
- Molex Harness Design
- Hi-Current Mini Relay

0016 or 0016P

- 12 Volt Transmitter Battery

BRS5083

- Relay and Socket
- BRS14E-Wired Socket Only
- Beuler 40/50 Relay

QP HARDWARE

By ACCELE ELECTRONICS, INC

NYLON BUTT CONNECTORS

Part#	Gauge	Color
101K	22-18	Red
102K	16-14	Blue
103K	12-10	Yellow

NEW! INSULATED WATER RESIRTANT

Bullet Connectors

Part#	Gauge	Color	Descr.
400M	18-16	Red	Male
400F	18-16	Red	Female
402M	14	Blue	Male
402F	14	Blue	Female

NEW

Qty's of 1,000, 5,000 & 10,000

3M SCOTCH LOKS

Part#	Gauge	Color
9010	22-18	Red
9020	16-14	Blue
9040	12-10	Brown

ECONO .250 INSULATED DISCONNECTS

Economy transparent jacket
18 ga. primary wire. 500 ft. length.

Part#	Description
105L	Male (Blue)
106L	Female (Red)
107L	Female (Blue)

PRIMARY WIRE

Economy solid jacket 18 ga. primary wire. 500 ft. length.

Part#	Color	Part#	Color	Part#	Color
618PBLK	Black	618PLTGRN	Lt Green	618PPUR	Purple
618PBLU	Blue	618PPNK*	Pink	618PRED	Red
618PBRN	Brown	618PORG	Orange	618PWHT	White
618PGRN	Green	618PPNK	Pink	618PYEL*	Yellow
618PGRY	Gray				

TRANSPARENT JACKET PRIMARY WIRE

Part#	Color	Part#	Color	Part#	Color
618PCBLK	Black	618PCGRY**	Gray	618PCPUR	Purple
618PCBLU	Blue	618PCLTGRN	Lt Green	618PCRED	Red
618PCBRN**	Brown	618PCORG	Orange	618PCWHT**	White
618PCGRN**	Green	618PCPNK**	Pink	618PCYEL**	Yellow

**Non-Transparent

MATRIX QUALITY GOLD RCA CABLES

Part#	Length
3295B	6"
3296B	1 ft.
3301B	3 ft.
3302B	6 ft.
3307B	12 ft.
3297B	15 ft.
3303B	18 ft.
3298B	20 ft.
3299B	25 ft.

- *Quality shielded dual RCA cables with super flexible jacket and attractive non-conducting thermoplastic RCA's with gold ends.*
- *Retail packaged for display.*

RCA SPLICE

- *Gold plated and plastic RCA splices*

Part#	Description
0015	Female/Female
0015G	(Gold) Female/Female
0013	Male/Male
0013G	(Gold) Male/Male

- *Nickel plated and plastic RCA splices.*

Part#	Description
0011	Male to Male (Plastic-Nickel)
0011G	(Gold) Male to Male (Splice Plastic-Nickel)

"LOW PROFILE" FUSES

Part#	Amps
6710	10
6715	15
6720	20
6725	25
6730	30

BUSSMAN STANDARD ATC FUSES

1-30 Amps.

Part#	Amps	Part#	Amps	Part#	Amps
5701	1	5775	7.5	5725	25
5703	3	5710	10	5730	30
5704	4	5715	15	5740	40
5705	5	5720	20		

QTY: 20, 50 and 100

PRE-WIRED STANDARD ATC FUSES

1-40 Amps.

Part#	Amps	Part#	Amps	Part#	Amps
5701PT	1	5775PT	7.5	5725PT	25
5703PT	3	5710PT	10	5730PT	30
5704PT	4	5715PT	15	5740PT	40
5705PT	5	5720PT	20		

QTY: 12

BEÜLER Relays and Accessories

Interconnecting Fuse and Relay Block System

- High Power 40/60 Amp
- Waterproof Versions
- Negative Spikes Supression
- New Timer Relay



1. Relay with Tab 40/60 Amp SPDT
   Negative spike suppression Built-in
   Part # 5083

2. Relay no Tab 40/60 Amp SPDT
   Negative spike suppression Built-in
   Part # 5083W

3. Fuse Holder ATC with Snap on cover
   Part # BU340 Complete kit w/ 6" & 30" red wires
   Part # BU340C Holder with 2 connectors (no wires)
   Part # BU340H Holder only (no connectors or wires)

4. **Time Delay Relay** NEW !
   Relay turns off 2 sec. to 5 min.after + trigger
   is turned off. 30 Amp SPST
   Internal adjustable pot.
   Part # BU508TD

5. Relay no Tab, Waterproof 40/60 Amp SPDT
   Negative spike suppression Built-in
   Part # 5084W

6. Relay with Tab, Waterproof 40/60 Amp SPDT
   Negative spike suppression Built-in
   Part # 5084

7. Interconnection Relay Socket
   Part # BRS14E (Socket, Connectors & 12" wires)
   Part # BRSPC (Socket only)
   Part # BRSCN (Connectors only)
   (100 Pack)

POWER WINDOW MOTOR KITS

Both flush and surface mounting OEM type switch and pods included.

Part#	Description
APW2KS	2 Switch power window kit
APW2K	3 Switch power window kit
APW74K	7 Switch power window kit
SPH33	Window kit motor assembly

UNIVERSAL TRUNK/HATCH RELEASE SOLENOID

*(as shown, complete kit, Part# 5912K)

Add remote electric power release to any trunk or hatch-back (manual or cable type). Ideal for alarms using 2nd channel to release trunk. All mounting brackets and hardware along with manual momentary switch incl'd.

Part#	Type
5911B Economy	Trunk Solenoid Only
5911 Economy	Solenoid w/ Wiring and Switch
5912E High Grade	Trunk Solenoid Only
5912K* High Grade	Solenoid Wiring Switch/Door Pop

AMT - DOMESTIC GRADE LINEAR ACTUATORS

*Linear actuators with built-in fully adjustable limit switches.

Part#	Description
6179	2" Actuator*
6176	4" Actuator*
6175	6" Actuator*
6177	8" Actuator
6178	12" Actuator

LATCHING RELAYS

Part#	Description	Type	Amperage
5086	Quality	SPDT	15
5087	Quality	SPST	15

BRUSHLESS COOLING FANS

ACCELE cooling fans are available in 4 different sizes w/standard CHROME PLATED ONLY metal finger guards.

Part#	Description
6506	1 5/8" 12VDC cooling fan
6507	2 3/8" 12VDC cooling fan
6508	3 5/8" 12VDC cooling fan
6509	4 3/4" 12VDC cooling fan

SPRING DOOR OPENERS

RUST PROOF CONSTRUCTION. SPRING LOADED DOOR PUSHERS. Will open door as soon as the car door is unlatched by remote solenoid.

Part#
5910E

40 LB. DOOR POP SOLENOID

Part#	Description
DPS40	40 lb. Solenoid

Add remote electric power release to any trunk or hatch-back (manual or cable type). Ideal for alarms using 2nd channel to release trunk. All mounting brackets & hardware along with manual momentary switch included.

NEW

AMT - ECONOMY LINEAR ACTUATORS

Linear actuators sealed for indoor or outdoor use. 12VDC, 2.5-13 Amp. Built-in limit switches.

Part#	Description	Length (close-open)	Load/Lbs.
6179E	2" Actuator	6 7/8" - 8 3/4"	25
6176E	4" Actuator	8 7/8" - 12 3/4"	75
6175E	6" Actuator	10 7/8" - 16 3/4"	75
6177E	8" Actuator	15 1/8" - 23 1/8"	75
6178E	12" Actuator	17" - 28 3/4"	75

AMT - GEAR HEAD MOTORS

12 Volt, 6/60 RPM gearhead motors. Great for custom motorization.

Part#	Description
MG120	Motor geared 120 RPM 12VDC
MG20	Motor geared 20 RPM 12VDC
MG300	Motor geared 300 RPM 12VDC
MG6	Motor geared 6 RPM 12VDC
MG60	Motor geared 60 RPM 12VDC

CROSSFLOW COOLING FANS

12VDC Brushless. Excellent for custom cooling of amps through a small horizontal slit on mounting board above Amps, etc... High efficiency. Low Profile. Available in 12VDC or 110VAC. High "SP". Super Quiet.

Part#	Size
CF30077K	4"
CF3015K	6"

CROSSFLOW COOLING FAN

Brushless. High efficiency. Low profile. Available in 12-24VDC or 110VAC. High "SP". Super quiet.

Part#	Description
2053F	8" Crossflow Fan

INVISIBLE SWITCH / STARTER KILL SWITCH

How it Works :
ON - When you touch the area where you set the sensor. (it beeps)
OFF - When you touch the same area. (no sound)



The Invisible Toggle switch senses the electrostatic touch of your finger tip through any dash plastic up to 1/8 inch thick! Great for stealth control of accessories.

INV10 - Invisible Switch Version
SK550 - Starter Kill Version

STEERING WHEEL MOUNTED REMOTE CONTROL



WIR888

BEÜLER

- Steering Wheel Mounted IR Code Learning Remote Control.
- Will work with Video, Head Units, Navigation, Satellite Systems, etc.

iPad Car Headrest Holder

NEW !

LCDHPOD

Holds and Charges iPad, Clamp Mounts to any headrest poles, Built in IR Headphones and FM Transmistters

OEM Look !
Rear Flush Mount Backup Sensors

BU600OEM

Rear Bumper installed Sensors, Looks just like OEM. 4 Sensors, Audio and Digital Display.

OEM Grade ! Digital Wireless Line Carrier Backup System

BU700DL

Digitally transmits signals on vehicles powerline Will work on any length vehicle. Waterproof controller and harness. Will work on any metal or plastic bumpers. Great for RV, Trucks and Trailers.

24 VDC to 12 VDC Converter

LCDT2412VD

24VDC ➡ 12VDC

Converts 24 VDC to 12 VDC Output. Great for Powering up any 12 volt electronics in Buses, Trucks, Etc.

12 Volt Digital 7 Day Programable Timer

T7

Great for automactically turning on any device in vehicle, boat, RV ! 12 VDC, 14 Day Memory Backup Battery Built-In, Relay Output Manual switch override input, 7 Day Programable

12 Channel Transmitter Receiver

12 SPDT Relays on board, 10 Amp Contacts, Momentary Output, Continuous
Output when button is held down, 12VDC - 300ma

Time Delay Relay



BU508TD

Adjustable 2 seconds - 5 minutes. SPST, 30amp contacts, 12 VDC, Internal Adjustable Pot

Flexable Gooseneck Lamp
W/ Easy Plug In Connector



Great for reading or adding adjustable lighting to under dash or for amps etc. 12VDC

19" Widescreen Bus Flipdown

LCDBFD19WS

All Metal Latch & Mounting Plate, NTSC/PAL, 1440X 900 Pixels, 2AV In, IR Remote Control

Audio & Video iPod Cables

PODAV

NEW !

Audio and Video output from your iPod, iPhone or iPad for your flipdown or headrest monitors. Decoder Electronics built inside connector

iPod Audio Cables w/ 3.5mm Jack

IPA

Total Flexibility ipod wiring kit ! Power in, Cig Adaptor or Wired, Audio Out, 3.5mm Jack or RCA.

iPod Audio Cables w/ 3.5mm Jack

BUIPAC

Power in, Cig Adaptor or USB Audio Out, 3.5mm Jack.

SPECIALS !

Economy Amp Kit

AMPK1X

$4.95 as low as

All the needed Installation Hardware in one Package ! Gold RCA Audio Jacks, Speaker Wires, crimp connectors, etc...

Nylon Butt Connectors

$16.90 /1000 pcs

price is for 1000 pieces / bag

Red and Black Primary Wire

$11.97 18G / 500 Ft Spool

618PREDX - Red 500 feet
618PBLKX - Black 500 feet

special prices expire 12.31.2012

ACCELE ELECTRONICS, INC.
17900 Crusader Avenue, Cerritos, CA 90703
TEL: 800.788.1212 FAX: 562.809.1248